



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of

Applicants : Sturgill et al.
Serial No. : 10/038,150
Filed : January 4, 2002
Title : NON-TOXIC CORROSION-PROTECTION RINSES AND SEALS
BASED ON COBALT
Docket : UVD 0299 PA/40815.347
Examiner : Kastler, Scott R.
Art Unit : 1742
Confirmation No. : 7448

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

CERTIFICATE OF MAILING
I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on June 30, 2005.

Patricia L. Prior
Patricia L. Prior - Attorney Reg. No. 33,758

Sir:

**SUBMISSION OF SUBSTITUTE SPECIFICATION
PURSUANT TO 37 CFR 1.125**

Applicants submit a substitute specification pursuant to 37 CFR 1.125.

The application was filed on January 4, 2002. On February 13, 2002, a Notice to File Corrected Application Papers due to a spacing error was mailed. A corrected specification was filed on February 28, 2002. In the course of responding to the Office Action mailed November 17, 2004, Applicant's discovered that the corrected specification filed February 28, 2002 was not in fact an exact copy of the originally filed application. Rather, an earlier draft version of the application was sent instead.

Applicants submit a clean copy and a marked up copy showing the changes between the corrected specification filed on February 28, 2002 and the application as filed on January 4, 2002. Because the substitute specification is identical to the originally filed application, no new matter has been added.

Applicants regret any confusion caused by this. For the Examiner's convenience, the following is a list of pages where changes appear:

Page 1, lines 6-8 and 10;
Page 8, lines 17-19;
Page 9, lines 13-14 and 18-31;
Page 10, lines 1-23;

Page 11, line 4
Page 12, line 16
Page 13, line 5;
Page 14, line 2-3;
Page 15, line 9;
Page 18, lines 13-14;
Page 19, line 12;
Page 24, lines 5-6 and 11-12;
Page 26, lines 8 and 19-20;
Page 27, lines 9-10;
Page 34, N Valence Stabilizer #31;
Page 47, N-S Valence Stabilizer #15;
Page 59, N-O Valence Stabilizer #28;
Page 151, lines 5 and 22;
Page 155, N Valence Stabilizer #13;
Page 328, lines 9-10;
Page 334, line 12;
Page 341, line 16;
Page 342, lines 4-5 and 11;
Page 344, line 6;
Page 345, line 12;
Page 346, line 4;
Page 349, lines 13 and 24;
Page 352, line 2;
Page 353, line 21 and
Page 357, line 6.

If the Examiner has any questions or comments regarding the present application, please contact the undersigned at the telephone number indicated below.

Respectfully submitted,
DINSMORE & SHOHL LLP

By Patricia L. Prior
Patricia L. Prior
Registration No. 33,758

One Dayton Centre
One South Main Street, Suite 1300
Dayton, Ohio 45402-2023
Telephone: (937) 449-6400
Facsimile: (937) 223-0724

PLP/amm
Encls.